

PARKER'S PATENT COMBINATION PIPE VISES.




Fig. 748.

No. 87. Round and Pipers' Jaws, weight 41 lbs.
For holding 2 inch pipe and under. Length of
Jaws, $3\frac{3}{8}$ inches Each, \$16.00

No. 88. Round and Pipers' Jaws, weight 59 lbs. For
holding 3 inch pipe and under. Length of Jaws,
 $4\frac{1}{8}$ inches Each, \$20.00

No. 288 $\frac{1}{2}$. Round and Pipers' Jaws, weight 105 lbs.
For holding 4 inch pipe and under. Length of
Jaws, $4\frac{3}{4}$ inches Each, \$28.00

No. 289 $\frac{1}{2}$. Round and Pipers' Jaws, weight 155 lbs.
For holding 6 inch pipe and under. Length of
Jaws, $5\frac{3}{8}$ inches Each, \$35.00

The Steel Faces of these Vises are Milled and fitted to
the Jaws, and are renewable at a trifling cost.

WITHOUT PARKER'S IMPROVEMENTS.




Fig. 749.

SWIVEL BOTTOM.

No. 187. Round and Pipers' Jaws, weight 41 lbs.
For holding 2 inch pipe and under Each, \$16.00

No. 188. Round and Pipers' Jaws, weight 59 lbs.
For holding 3 inch pipe and under Each, \$20.00

No. 188 $\frac{1}{2}$. Round and Pipers' Jaws. weight 94 lbs.
For holding 4 inch pipe and under. Length of
Jaws, $4\frac{3}{4}$ inches Each, \$28.00

No. 189 $\frac{1}{2}$. Round and Pipers' Jaws, weight 141 lbs.
For holding 6 inch pipe and under. Length of
Jaws, $5\frac{3}{8}$ inches Each, \$35.00

The Steel Faces of these Vises are welded on, and
not fitted and renewable as on Nos. 288 $\frac{1}{2}$ and 289 $\frac{1}{2}$.

PARKER'S PATENT VISES. WITH INTERCHANGEABLE JAWS.




Fig. 750. Above illustration shows No. 86 Vise Complete.

No. 81.	Same as illustration, but with Round Jaws only		Each, \$12.50
	Both Jaws Swivel. Weight, 60 lbs.		
No. 82.	Same as illustration, but with Pipers' Jaws only		Each, 12.50
	Both Jaws Swivel. Weight, 63 lbs.		
No. 86.	See illustration		Each, 14.75
	Both Jaws Swivel. Weight, 76 lbs.		
No. 83.	Same as illustration, and has Coach Makers' Jaws in addition to Round and Pipers' Jaws		Each, 16.00
	Both Jaws Swivel. Weight, 91 lbs.		




Fig. 751.

UNIVERSAL COMBINATION PIPE AND METAL WORKERS' VISE.

No. 102. Universal Combination Pipe and Metal Workers' Vise, 3-inch length of jaw, opens 4½ inches, and will take pipe from ¾ to 2 inches in diameter; weight, 52 lbs. Price, \$12.00.

No. 103. 4½-inch length of jaw, opens 4¼ inches and will take pipe from ¾ to 3 inches in diameter; weight, 80 lbs. Price, \$15.00.

PARALLEL BENCH VISE.




Fig. 752.

FIXED.

No.	Length of Jaw.	Weight.	
0	3 inches	25½ lbs.	\$5.50
1	3½ "	31½ "	6.50
2	4 "	41 "	8.50
3	4½ "	52½ "	10.75
4	5 "	93 "	16.00
5	6 "	113½ "	23.75
6	7 "	184 "	34.50

SWIVEL.

No.	Length of Jaw.	Weight.	
00	2 inches	7½ lbs.	\$4.00
0	3 "	31½ "	6.25
1	3½ "	38½ "	8.00
2	4 "	48 "	10.00
3	4½ "	61 "	13.25
4	5 "	104½ "	18.50
5	6 "	129 "	26.00
6	7 "	194 "	36.00

Fig. 753. NEW STYLE CHANNEL BAR BENCH VISE.

FIXED.

No.	Length of Jaw.	Weight.	
20	2 inches	7 lbs.	\$4.00
25	2½ "	12 "	5.00
30	3 "	21½ "	6.25
35	3½ "	30½ "	7.00
40	4 "	46½ "	9.00
45	4½ "	58 "	11.75
50	5 "	88 "	16.25
55	5½ "	110½ "	20.00

SWIVEL.

No.	Length of Jaw.	Weight.	
20	2 inches	8 lbs.	\$4.50
25	2½ "	13 "	5.75
30	3 "	24 "	7.00
35	3½ "	34 "	8.25
40	4 "	50 "	10.75
45	4½ "	63 "	14.00
50	5 "	96 "	19.25
55	5½ "	118½ "	23.50

THE BURNET COMPANY, NEW YORK.

PRICE LIST OF REPAIRS FOR PARKER VISES.

No. of Vice.	Slide.	Back Jaw.	Screw.	Spring.	Nut.	Steel Jaws Each.	Bench 1olt.	Bench Washer	Swivel Pin.	Swivel Nut.	Swivel Bolt.	Base Bolt.	Bench Wrench.	Bench Flange.	Bench Nut.	Bench Swivel.
A	1.25	1.50	1.50	35	35											
B	1.25	1.75	1.50	35	35											
C	1.50	2.00	1.50	35	25											
D	1.75	2.50	1.75	35	35											
E	2.60	3.50	2.00	35	35											
F	3.60	4.50	2.00	35	35											
G	5.50	6.50	2.00	35	35											
AA	1.25	1.50	1.50	35	35			25					25	25		
BB	1.25	1.75	1.50	35	35			25					25	30	25	
CC	1.60	2.00	1.50	35	35			25					25	50	25	
DD	1.75	2.50	1.75	35	35			25					25	50	25	
EE	2.50	3.50	2.00	35	35			25					35	50	35	
FF	3.50	4.50	2.00	35	35			25					35	50	35	
GG	5.50	6.50	2.00	35	35								35	50	35	
000X	2.00	3.00	1.50	35	35	50										
1X	2.50	3.50	1.50	35	35	50										
2X	3.00	4.50	1.50	35	35	50										
3X	4.50	5.00	1.75	35	35	50										
4X	6.00	8.50	2.00	35	35	50										
5X	10.75	13.25	2.00	50	65											
21X	2.00	3.00	1.50	35	35	50	25	25	25	25	25	25	25	25	25	1.00
22X	3.50	3.50	1.50	35	35	50	25	25	25	25	25	25	25	50	25	1.00
23X	3.75	5.00	1.50	35	35	50	25	25	25	25	25	25	25	50	25	1.00
24X	4.25	6.00	1.75	35	40	50	25	25	25	50	50	50	25	50	25	1.25
25X	6.75	12.00	2.00	35	40	50	25	25	25	50	50	50	25	50	25	1.25
26X	12.75	15.00	2.00	40	50				25	50	50	50				
19	1.50	2.00	.75	35	35		25	10					25	25	25	
20	1.75	2.25	.75	35	35		25	10					25	25	25	
21	2.50	3.00	1.50	35	35	50	25	25					25	25	25	
22	3.00	3.50	1.50	35	35	50	25	25					25	50	25	




Fig. 754.

PARKER'S PATENT PARALLEL SWIVEL VISES.

Parker's Patent Cast-steel Anvil.

Round Jaws. Swivel.

No.	Weight.	Length of Jaws.	Each.
19	8 lbs.	2 inches	\$4.00
20	8½ lbs.	2¼ inches	5.00
21	23 lbs.	3½ inches	7.00
22	35 lbs.	3¾ inches	8.75

PARKER'S PATENT FILERS' VISES.

No. 42.	Length of Jaws, 4 inches.	Weight, 33 lbs.	
Each			\$7.25
No. 42½	Length of Jaws, 3¼ inches.	Weight, 30 lbs.	
Each			\$6.75

SWIVEL FILERS' VISE.

No. 44.	Length of Jaws, 4 inches.	Weight, 37 lbs.	
Each			\$8.75

The Steel Faces of these Vises are Milled and fitted to the Jaws, and are renewable at a trifling cost.




Fig. 755.

PARKER'S PATENT PARALLEL VISES.




Fig. 756.

No.	Weight.	Length of Jaws.	Vise Opens.	Price Each.
000X.	28 lbs.	3 $\frac{1}{4}$ inches	4 $\frac{1}{4}$ inches	\$6.25
1X.	45 "	3 $\frac{3}{4}$ "	5 $\frac{1}{2}$ "	7.00
2X.	58 "	4 $\frac{1}{4}$ "	6 $\frac{1}{2}$ "	9.00
3X.	74 "	4 $\frac{3}{4}$ "	8 $\frac{1}{4}$ "	11.75
4X.	104 "	5 $\frac{1}{2}$ "	9 $\frac{1}{2}$ "	16.25
5X.	134 "	6 $\frac{1}{4}$ "	10 $\frac{1}{2}$ "	24.00

PARKER'S PATENT SWIVEL VISES.




Fig. 757.

No.	Weight.	Length of Jaws.	Vise Opens.	Price Each.
21X.	32 lbs.	3 $\frac{1}{4}$ inches	4 $\frac{1}{4}$ inches	\$7.00
22X.	50 "	3 $\frac{3}{4}$ "	5 $\frac{1}{2}$ "	8.75
23X.	65 "	4 $\frac{1}{4}$ "	6 $\frac{1}{2}$ "	11.00
24X.	87 "	4 $\frac{3}{4}$ "	8 $\frac{1}{4}$ "	14.50
25X.	130 "	5 $\frac{1}{2}$ "	9 $\frac{1}{2}$ "	20.50
26X.	160 "	6 $\frac{1}{4}$ "	10 $\frac{1}{2}$ "	30.00

The steel faces of these Vises are milled and fitted to the Jaws, and are renewable at a small cost.

PARKER'S PARALLEL VISES, WITHOUT PARKER'S IMPROVEMENTS.




Fig. 758.

They are equal in strength to any Vise in market, with the exception of Parker's first quality. For the purchaser's protection, these Vises are *painted green* so they can be easily distinguished from the regular Vises.

No.	Length of Jaws.	Weight.	Each.
0000	3 $\frac{1}{4}$ inches	23 lbs.	\$5.50
100	3 $\frac{5}{8}$ "	31 $\frac{1}{2}$ "	6.50
200	4 $\frac{1}{4}$ "	41 $\frac{1}{2}$ "	8.50
300	4 $\frac{3}{8}$ "	59 $\frac{1}{2}$ "	10.75
400	5 $\frac{3}{8}$ "	83 "	16.00
500	6 $\frac{1}{8}$ "	120 "	23 75

The Steel Faces of these Vises are Milled and fitted to the Jaws and are renewable at a trifling cost.

PARKER'S SWIVEL VISES, WITHOUT PARKER'S IMPROVEMENTS.




Fig. 759.

No.	Length of Jaws.	Weight.	Each.
2000	2 $\frac{1}{4}$ inches	8 $\frac{1}{2}$ lbs.	\$4.00
2100	3 $\frac{3}{8}$ "	23 "	6.25
2200	3 $\frac{3}{8}$ "	35 "	8.00
2300	4 $\frac{1}{8}$ "	48 "	10.00
2400	4 $\frac{3}{4}$ "	63 $\frac{1}{2}$ "	13.25

The Steel Faces of these Vises are Milled and fitted to the Jaws, and are renewable at a trifling cost.

PARKER'S PATENT SWIVEL VICTOR VISES.

PARKERS PATENT PARALLEL VICTOR VISES.




Fig. 760.

No.	Length of Jaws.	Weight.	Each.
370	3 $\frac{1}{4}$ inches	25 lbs.	\$6.50
371	3 $\frac{3}{8}$ "	39 "	7.00
372	4 $\frac{1}{2}$ "	57 "	10.00
373	5 "	73 "	14.00
374	5 $\frac{1}{2}$ "	98 "	17.00
375	6 $\frac{1}{4}$ "	150 "	24.00




Fig. 761.

No.	Length of Jaws.	Weight.	Each.
270	3 $\frac{1}{4}$ inches	30 lbs.	\$7.00
271	3 $\frac{3}{8}$ "	42 "	8.50
272	4 $\frac{1}{2}$ "	60 "	12.50
273	5 "	78 "	16.00
274	5 $\frac{1}{2}$ "	110 "	19.00
275	6 $\frac{1}{4}$ "	165 "	27.00

The Steel Faces of these Vises are Milled and fitted to the Jaws, and are renewable at a trifling cost.




Fig. 774.




Fig. 775.

PRENTISS' HEAVY CHIPPING VISE.

This is the LARGEST and HEAVIEST Vise in the market, for use by Railroad and Machine Shops, Foundries, Glass Works, Mills and large Manufactories.

No. 58. 8½ inch Jaws.
Opens 12 inches.
Weight, 275 lbs.
Price, \$50.00.

Swivel Bottom Attachment for this Vise, \$5.00 extra.




Fig. 776.

PARKER'S HEAVY RAILWAY VISE.

This vise is specially adapted for use by Railways and Machine Shops; requiring a trusty tool for heavy work.

STATIONARY BOTTOM.

No. 600. Length of Jaws, 8½ inches; Weight, 240 lbs.; each, \$45.00.

SWIVEL BOTTOM.

No. 160. Length of Jaws, 8½ inches; Weight, 250 lbs.; each, \$50.00. Opens 12½ inches.

The Steel Faces of these Vises are Milled and fitted to the Jaws, and are renewable at a trifling cost.

PARKER'S PATENT PARALLEL VICTOR VISES.

FOR EXTRA HEAVY WORK.

For use of Railroads, Machine Shops, Car Builders, etc.

STATIONARY BOTTOM SWIVEL BACK JAWS.

No. 340. Length of Jaws, 7½ inches; Weight, 185 lbs.; each, \$30.00.

SWIVEL BOTTOM SWIVEL BACK JAWS.

No. 240. Length of Jaws, 7½ inches; Weight, 200 lbs.; each, \$35.00. Opens 12 inches.

The Steel Faces of these Vises are Milled and fitted to the Jaws, and are renewable at a trifling cost.

VULCAN VISES.




Fig. 777.

SOLID STEEL FACED JAWS. EXTRA STRONG SLIDE AND SCREW.

Designed to supply the requirements for a Strong, Durable, Medium Priced Vise.


PATENT PARALLEL STATIONARY VISES.

No.	Weight.	Vise Opens.	Length of Jaws.	Each.
A.	25 lbs.	4½ in.	3¼ in.	\$6.00
B.	28 "	5 "	3⅝ "	7.00
C.	46 "	5½ "	4⅛ "	8.50
D.	60 "	6½ "	4⅝ "	10.00
E.	74 "	7 "	5 "	13.00
F.	100 "	8½ "	5½ "	18.50
G.	135 "	9½ "	6 "	25.00

PATENT PARALLEL SWIVEL VISES.

No.	Weight.	Vise Opens.	Length of Jaws	Each.
A. A.	28 lbs.	4½ in.	3¼ in.	\$7.50
B. B.	37 "	5 "	3⅝ "	8.75
C. C.	52½ "	5½ "	4⅛ "	10.50
D. D.	66 "	6½ "	4⅝ "	12 50
E. E.	86 "	7 "	5 "	16.00
F. F.	115 "	8½ "	5½ "	22.00
G. G.	156 "	9½ "	6 "	30 00

PARKER'S OVAL SLIDE VISES.



No.	Weight.	Jaws.	Each.
30.	8½ lbs.	2⅝ inches long.	\$2 50
31.	13 "	3 " "	3.00
32.	19 "	3¼ " "	4 25
33.	22 "	3½ " "	4.75
34.	28 "	4 " "	6.50
35.	35 "	4¾ " "	9 50
36.	62 "	5½ " "	12.00

Fig. 778.